

B 110 R Bp Pack 170Ah+D75

Equipped as standard with powerful 170 Ah battery and on-board battery charger: our rideon scrubber dryer B 110 R. Compact, manoeuvrable machine with disc brush head.











1 Height-adjustable seat

- Perfect sitting position irrespective of the operator's physical height.
- Superb seating comfort during the journey.

2 Speed-dependent water dosing

- Reduces the water supply in bends or during slow journeys.
- The water-saving function increases the area performance.

3 Innovative KIK key system

- Colour-coded keys for different access rights to protect against operating errors.
- Cleaning modes and other functions can be preset for each user.

4 Robust squeegee made from die-cast aluminium

- With tear-resistant, long-lasting Linatex* suction lips for excellent vacuuming results.
- Fast and simple replacement of the suction lips.

TECHNICAL DATA AND EQUIPMENT





B 110 R Bp Pack 170Ah+D75

recilifical data				
Order no.		1.161-416.0		
EAN code		4054278710617		
Working width of brushes	mm	750		
Working width, vacuuming	mm	950		
Fresh/dirty water tank	1	110 / 110		
Theoretical area performance	m²/h	4500		
Brush rotational speed	rpm	180		
Brush contact pressure	g/cm²	- 40 /		
Battery voltage	V	24		
Battery capacity	Ah	170		
Battery runtime	h	max. 2.5		
Rated input power	W	up to 2350		
Weight (with accessories)	kg	392		
Dimensions (L × W × H)	mm	1695 × 975 × 1315		
Sound pressure level	dB(A)	59		
Equipment				
Auto Fill			standard daytime driving light	
Powerful traction drive			robust front bumper	
Battery and built-in charger included			with speed-dependent water dosing	
Automatic water stop		•	software updates and loss assessment can be done remotely via Kärcher fleet	•
			management	
Tin		-	Kärcher colour and operating concept	1
Parking brake			Kärcher Intelligent Key System (KIK) with over 30 user languages and indi-	•
			vidual user rights	
Solenoid valve		•	Home Base fastening possibilities for	
		_	mop or similar	_
Squeegee, curved		-	electrical and mechanical float switch	
2-tank system			Easy Operation selector switch	
Height-adjustable seat		-		
Auto Fill				

Technical data



		Order no.	Length	Colour	Quanti- ty	Price	Description	
Squeegees								
Squeegee	1	4.778-007.0	950 mm	red	1 piece(s)			

[■] Included in the scope of supply.

□ Available accessories.







		Order no.		Price	Description
Brush heads				1	
D 75 S brush head	1	2.763-005.0			Brush-head with 2 disc brushes, brush-quick-change-system and a working width of 75 cm. The side splash guards are adjustable in the height. So the water will be kept under the brush-head. The cleaning solution will be run optimally to the squeegee, also in driving turns. Brush head packed separately.
Brush head R 75	2	2.763-047.0			Robust, aluminium roller brush head with integrated pre- sweep function. Flat design, low operating noise and easy maintenance with colour coding and insertion aids for brushes.
D 65 S brush head	3	2.763-003.0			Brush-head with 2 disc brushes, brush-quick-change-system and a working width of 65 cm. The side splash guards are adjustable in the height. So the water will be kept under the brush-head. The cleaning solution will be run optimally to the squeegee, also in driving turns. Brush head packed separately.
Brush-head R65	4	2.763-046.0			Robust, aluminium roller brush head with integrated pre- sweep function. Flat design, low operating noise and easy maintenance with colour coding and insertion aids for brushes.

[■] Included in the scope of supply.

□ Available accessories.











		Order no.	Quantity	Battery voltage	Battery capaci- ty	Battery type	Price	Description	
Batteries									
Battery kit	1	2.815-092.0	4 -part	24 V	170 Ah	mainte- nance- free		Battery kit with 24 V voltage and 170 Ah (C5) capacity. Comprising several maintenance-free single AGM batteries.	
	2	2.815-101.0	4 -part	24 V	180 Ah	mainte- nance- free		Battery kit with 24 V voltage and 180 Ah (C5) capacity. Comprising several maintenance-free single gel batteries.	
	3	2.815-095.0	4 -part	24 V	285 Ah	mainte- nance- free		Battery kit with 24 V voltage and 285 Ah (C5) capacity. Comprising several maintenance-free single AGM batteries.	
Battery Chargers									
Battery charger	4	6.654-419.0	1 piece(s)	24 V		separate		Battery charger 24 V / 50 A: Safe 24 V battery charger for maintenance-free batteries of scrubber driers with a capaci- ty of 285 Ah.	

 $[\]blacksquare$ Included in the scope of supply. \square Available accessories.







								\Box
		Order no.	Length	Colour	Quanti- ty	Price	Description	
Miscellaneous			•	•				
KIK key, yellow	1	5.035-344.0		yellow	1 piece(s)		User key for using the appliance	•
KIK key, grey	2	5.035-348.0		grey	1 piece(s)		Supervisor key for using the appliance	•
KIK key, white	3	4.035-076.0		White	1 piece(s)		User key for using the appliance programmable	
Home Base accessories								
Universal hook kit	4	4.070-075.0			1 piece(s)		Hook and adaptor kit for attachment to the Home Base rail scrubber drier by Kärcher. Ideal for space-saving storage of hoses (for example, spray suction attachment kit) on the machine.	
Double hook	5	6.980-077.0			1 piece(s)		Double hook for attaching rubbish bags, etc. to the machine Only for use with the Homebase adapter 5.035-488.0.	
Holder handhold grey	6	6.980-078.0			1 piece(s)		Mop clip for attaching a mop to the machine. Only for use with the Homebase adapter 5.035-488.0.	
Home Base Box Kit	7	4.035-406.0			1 piece(s)		The Box kit provides enough space for three cleaning agent bottles along with cloths, scrapers, spare rubbish bags, gloves, etc.	

[■] Included in the scope of supply.

Available accessories.











		Order no.	Length	Diameter	Quanti- ty	Price	Description
Other attachment kits			'	<u>'</u>			
Attachment kit stacked bumper roller squeegee	1	4.035-619.0			2 -part		Additional, non-marking bumper rollers for assembly at the ends of the squeegee. Effectively prevent the squeegee from hooking onto pallets or shelf feet.

 $[\]blacksquare$ Included in the scope of supply. \qed Available accessories.